

Date:

Shift: **6/14/22**

FACE SHIELD

CARTON LABEL

RC1 (Small):

Supervisor: _____

RC2/3 (Large):

Signature: _____

FOR SINGLE USE ONLY – HANDLE WITH CARE

Carton: _____ / _____

DISCLAIMER: This face shield has not been manufactured by a professional medical products manufacturer; it has however been manufactured according to a standard operating procedure that has been developed with voluntary guidance from manufacturing professionals. This face shield is supplied without warranty and has been manufactured as a single use device for use during the COVID-19 pandemic, no liability can therefore be accepted.

Delivery/Collection Note

Name: _____

Representing: _____

Signature: _____

Date: _____



Produced at:

With professional 3D printing guidance led by:

DISCLAIMER:

This document is only provided to aid in the development of similar protocols for other organisations to use for the manufacture of Prusa face shields during the COVID-19 pandemic. This document has been authored for use only in the Cisco Reading face shield production process. Please use this as an overview to develop your own protocol. This document has been developed with voluntary guidance from manufacturing professionals, it has however been developed in an extraordinarily short period of time and is not complete to a level that meets professional manufacturing standards. This document is supplied without warranty, no liability can therefore be accepted.

Dear user, thank you for all you do to keep us safe and healthy

This is a Prusa Protective Face Shield - version RC1/RC2
Designed by the awesome open source 3D printer makers PrusaPrinters.org

Date:

Shift: **6/14/22**

FACE SHIELD

CISCO COPY

RC1 (Small):

Supervisor: _____

RC2/3 (Large):

Signature: _____

FOR SINGLE USE ONLY – HANDLE WITH CARE

Cartons: _____

DISCLAIMER: This face shield has not been manufactured by a professional medical products manufacturer; it has however been manufactured according to a standard operating procedure that has been developed with voluntary guidance from manufacturing professionals. This face shield is supplied without warranty and has been manufactured as a single use device for use during the COVID-19 pandemic, no liability can therefore be accepted.

Delivery/Collection Note

Name: _____

Representing: _____

Signature: _____

Date: _____



Produced at:

With professional 3D printing guidance led by:

DISCLAIMER:

This document is only provided to aid in the development of similar protocols for other organisations to use for the manufacture of Prusa face shields during the COVID-19 pandemic. This document has been authored for use only in the Cisco Reading face shield production process. Please use this as an overview to develop your own protocol. This document has been developed with voluntary guidance from manufacturing professionals, it has however been developed in an extraordinarily short period of time and is not complete to a level that meets professional manufacturing standards. This document is supplied without warranty, no liability can therefore be accepted.

Dear user, thank you for all you do to keep us safe and healthy

This is a Prusa Protective Face Shield - version RC1/RC2
Designed by the awesome open source 3D printer makers PrusaPrinters.org

Date:

Shift: **6/14/22**

FACE SHIELD

CUSTOMER COPY

RC1 (Small):

Supervisor: _____

RC2/3 (Large):

Signature: _____

FOR SINGLE USE ONLY – HANDLE WITH CARE

Cartons: _____

DISCLAIMER: This face shield has not been manufactured by a professional medical products manufacturer; it has however been manufactured according to a standard operating procedure that has been developed with voluntary guidance from manufacturing professionals. This face shield is supplied without warranty and has been manufactured as a single use device for use during the COVID-19 pandemic, no liability can therefore be accepted.

Delivery/Collection Note

Name: _____

Representing: _____

Signature: _____

Date: _____



Produced at:

With professional 3D printing guidance led by:

DISCLAIMER:
This document is only provided to aid in the development of similar protocols for other organisations to use for the manufacture of Prusa face shields during the COVID-19 pandemic. This document has been authored for use only in the Cisco Reading face shield production process. Please use this as an overview to develop your own protocol. This document has been developed with voluntary guidance from manufacturing professionals, it has however been developed in an extraordinarily short period of time and is not complete to a level that meets professional manufacturing standards. This document is supplied without warranty, no liability can therefore be accepted.

Dear user, thank you for all you do to keep us safe and healthy

This is a Prusa Protective Face Shield - version RC1/RC2
Designed by the awesome open source 3D printer makers PrusaPrinters.org